

|   |       |  |  |                  |
|---|-------|--|--|------------------|
| - | 53    | multi-rate and generators  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 13:14 |
| - | 5     | multi-rate adj transmitter   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 13:15 |
| - | 1     | multi-rate adj transmitter and CDMA  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 13:15 |
| - | 2     | 375/143 and "219" and multi-rate   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 13:20 |
| - | 0     | wo9903225  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 13:20 |
| - | 7     | "9903225"  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 13:24 |
| - | 4     | "9721294"  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:31 |
| - | 29395 | second adj PN and high\$3 bit adj1 rate and low\$3 bit adj1 rate   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:32 |
| - | 29395 | second adj1 PN and high\$3 bit adj1 rate and low\$3 bit adj1 rate  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:32 |
| - | 20626 | second adj1 PN and high\$3 bit adj1 rate and low\$3 bit adj1 rate and match\$3 adj1 filter\$1  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:32 |
| - | 19896 | second adj1 PN-code and high\$3 bit adj1 rate and low\$3 bit adj1 rate and match\$3 adj1 filter\$1   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:32 |
| - | 7489  | second adj1 PN-code and high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:33 |
| - | 7126  | second adj1 PN-code and high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and CDMA   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:33 |
| - | 7082  | second adj1 PN-code and high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and CDMA and @ay<1999                            | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:34 |
| - | 7082  | first and second adj1 PN-code and high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and CDMA and @ay<1999                  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:36 |
| - | 7080  | first and second adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and CDMA and @ay<1999                 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:36 |
| - | 6987  | first and second adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and CDMA and transceiver and @ay<1999 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:36 |
| - | 7033  | first and second adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and transceiver and @ay<1999          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:37 |

|   |        |  |  |                  |
|---|--------|--|--|------------------|
| - | 7033   | (first and second) adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and transceiver and @ay<1999                              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:37 |
| - | 7062   | (first and second) adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and transceiver   | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:38 |
| - | 7002   | (first and second) adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and multiplier and transceiver                            | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:39 |
| - | 6993   | (first and second) adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and multiplier and switch and transceiver                 | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:39 |
| - | 6989   | (first and second) adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and multiplier and switch and demodulator and transceiver | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:40 |
| - | 6992   | (first and second) adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and multiplier and switch and demodulator and CDMA        | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:41 |
| - | 6984   | second adj1 PN-code with high\$3 bit adj1 rate with low\$3 bit adj1 rate and match\$3 adj1 filter\$1 and multiplier and switch and demodulator and CDMA and @ay<1999       | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 14:41 |
| - | 0      | 375/143 and second adj1 PN adj1 generator  | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:10 |
| - | 2      | 375/143 and second adj1 generator  | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:10 |
| - | 0      | 375/143 and "219" and second adj1 generator  | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:12 |
| - | 13     | CDMA and second adj1 generator   | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:21 |
| - | 3      | multi-rate and second adj1 generator   | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:22 |
| - | 241    | multi-rate and generator\$1  | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:23 |
| - | 800631 | multi-rate and PN ajdl generator\$1  | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:23 |
| - | 3      | multi-rate and PN adj1 generator\$1  | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:24 |
| - | 0      | multi-rate and second adj1 PN adj1 generator   | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:25 |
| - | 5      | multi adj1 (rate or bit) and second adj1 PN adj1 generator   | USPÄT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:28 |

|   |      |  |  |                  |
|---|------|--|--|------------------|
| - | 12   | multi adj1 (rate or bit) and PN adj1 generators  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:32 |
| - | 26   | high and low adj (rate or bit) and PN adj1 generators                                  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:51 |
| - | 14   | high and low adj (rate or bit) and PN adj1 generators and switch                       | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:03 |
| - | 17   | "5206881"  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:07 |
| - | 24   | "5379290"  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:07 |
| - | 19   | "5592468"  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:10 |
| - | 5863 | 395/200  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:10 |
| - | 5199 | transmitter and generators and switch  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:13 |
| - | 71   | transmitter and PN adj1 generators and switch  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:13 |
| - | 0    | transmitter and PN adj1 generators and switch and multi-rate                           | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:14 |
| - | 5    | transmitter and PN adj1 generators and switch and high adj1 rate and low adj1 rate     | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 13:07 |
| - | 24   | transmitter and PN adj1 generators and switch and variable adj1 rate\$1                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:22 |
| - | 0    | transmitter and PN adj1 generators with switch and variable adj1 rate\$1               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 16:22 |
| - | 626  | high adj1 bit adj1 rate and low adj1 bit adj1 rate                                     | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 10:43 |
| - | 3    | high adj1 bit adj1 rate and low adj1 bit adj1 rate and PN adj1 generator               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 10:44 |
| - | 4    | high adj1 bit adj1 rate and low adj1 bit adj1 rate and PN adj1 generator\$1            | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 11:02 |
| - | 1    | high adj1 bit adj1 rate and low adj1 bit adj1 rate and PN adj1 generator\$1 and switch | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 11:23 |
| - | 270  | high adj1 bit adj1 rate and low adj1 bit adj1 rate and switch                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 11:23 |

|   |      |  |  |                  |
|---|------|--|--|------------------|
| - | 1    | high adj1 bit adj1 rate and low adj1 bit<br>adj1 rate and switch and PN adj1<br>generator\$1 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 11:24 |
| - | 120  | high adj1 bit adj1 rate and low adj1 bit<br>adj1 rate and switch and generator\$1            | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 11:24 |
| - | 232  | multibit adj1 signal\$3  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 13:09 |
| - | 4    | multibit adj1 signal\$3 and CDMA   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 13:12 |
| - | 35   | multibit adj1 signal\$3 and transmitter  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 13:35 |
| - | 98   | multibit adj1 signal\$3 and switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/02 13:35 |
| - | 128  | switch and bit adj1 rate adj1 signals  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/17 14:02 |
| - | 2272 | variable adj1 bit adj1 rate  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 11:41 |
| - | 61   | variable adj1 bit adj1 rate and generators   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 09:18 |
| - | 1116 | variable adj1 bit adj1 rate and switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 09:18 |
| - | 301  | variable adj1 bit adj1 rate and switch and<br>generator                                      | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 09:19 |
| - | 309  | variable adj1 bit adj1 rate and switch and<br>generator\$1                                   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 09:27 |
| - | 121  | (high and low)adj1 bit adj1 rate and<br>switch and generator\$1                              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 10:31 |
| - | 0    | multi-rate adj1 transceiver  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 10:32 |
| - | 0    | multi adj1 rate adj1 transceiver   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 10:32 |
| - | 5    | multi-rate adj1 transmitter  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 10:37 |
| - | 0    | multi-rate adj1 generators   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 10:38 |
| - | 2    | multi-rate adj1 generator  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 10:39 |

|   |      |   |  |                  |
|---|------|---|--|------------------|
| - | 40   | multi-rate adj1 transmission  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 10:39 |
| - | 216  | low adj1 bit adj1 rate and CDMA   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 11:41 |
| - | 335  | (low or high) adj1 bit adj1 rate and CDMA   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 11:42 |
| - | 156  | (low or high) adj1 bit adj1 rate and switch and CDMA  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/18 11:43 |
| - | 0    | compare adj1 multi-rate with switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:36 |
| - | 0    | lbr and hbr with switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:36 |
| - | 0    | multi-rate adj1 transceiver   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:39 |
| - | 5    | multi-rate adj1 transmitter   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:43 |
| - | 1    | multi-rate adj1 transmitter and switch  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:44 |
| - | 0    | multi-rate adj1 compar\$  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:45 |
| - | 83   | multi-bit adj1 compar\$   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:52 |
| - | 3448 | multi-bit and compar\$ and switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:52 |
| - | 567  | multi-bit and compar\$ and switch and generators  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:53 |
| - | 201  | multi-bit and compar\$ and switch and generators and filters                                  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:56 |
| - | 1135 | high adj1 bit and low adj1 bit and detect\$3  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:57 |
| - | 164  | high adj1 bit and low adj1 bit and detect\$3 with switch                                      | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 08:57 |
| - | 108  | high adj1 bit and low adj1 bit and detect\$3 with switch and generator\$1                     | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 09:05 |
| - | 29   | high adj1 bit adj1 rate and low adj1 bit adj1 rate and detect\$3 with switch and generator\$1 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 09:18 |

|   |      |   |  |                  |
|---|------|---|--|------------------|
| - | 375  | high adj1 bit adj1 rate and low adj1 bit<br>adj1 rate and detect\$3                                 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 09:18 |
| - | 375  | high adj1 bit adj1 rate and low adj1 bit<br>adj1 rate and (detect\$3 or siganl\$)                   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 09:50 |
| - | 162  | different adj1 bit and CDMA   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 09:51 |
| - | 0    | different adj1 bit and swith and CDMA   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 09:51 |
| - | 80   | different adj1 bit and switch and CDMA  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 10:11 |
| - | 658  | bit adj1 rate and switch and CDMA   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 10:19 |
| - | 1179 | chip adj1 rate and CDMA   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 10:20 |
| - | 875  | chip adj1 rate and CDMA and transmitter   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 10:20 |
| - | 0    | chip adj1 rate and CDMA and transmitter<br>and generatros   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 10:20 |
| - | 269  | chip adj1 rate and CDMA and transmitter<br>and generators   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 10:20 |
| - | 141  | chip adj1 rate and CDMA and transmitter<br>and generators and switch                                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 10:21 |
| - | 14   | chip adj1 rate and CDMA and transmitter<br>and generators and switch and (hight or<br>low) adj1 bit | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/21 10:21 |
| - | 3    | "6414986"   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/23 08:19 |
| - | 42   | "5048052"   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/23 08:28 |
| - | 121  | (first and second ) adj1 pn adj1 code   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/23 08:28 |
| - | 39   | (first and second ) adj1 pn adj1 code and<br>switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/23 08:55 |
| - | 1    | (high and low ) adj1 pn adj1 code and<br>switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/23 09:21 |
| - | 271  | (high and low ) adj1 bit adj1 rate and<br>switch  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/23 09:22 |

|   |     |  |  |                  |
|---|-----|--|--|------------------|
| - | 0   | (high and low)adj1 bit adj1 rate and transmission and detection  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/24 15:37 |
| - | 253 | (high and low)adj1 bit adj1 rate and detection   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/24 15:37 |
| - | 25  | (high and low)adj1 bit adj1 rate and detection with switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/24 15:53 |
| - | 27  | (high and low)adj1 bit adj1 rate and equalization and switch   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/24 16:00 |
| - | 424 | (high and low)adj1 bit adj1 rate and select\$3   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/24 16:01 |
| - | 512 | high adj1 bit adj1 rate same low adj1 bit adj1 rate  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/24 16:02 |
| - | 330 | ((high and low)adj1 bit adj1 rate and select\$3) and (high adj1 bit adj1 rate same low adj1 bit adj1 rate) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/24 16:02 |

| L Number | Hits    | Search Text                                       | DB   | Time stamp       |
|----------|---------|---|--|------------------|
| -        | 306     | 375/143   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/24 15:36 |
| -        | 17      | "5706428"   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 10:41 |
| -        | 15      | 375/143 and "219"                                 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 15:11 |
| -        | 1962748 | CDMA and multi-(rate or bit)                      | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 10:51 |
| -        | 6005    | CDMA and (multi-rate or bit)                      | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 10:51 |
| -        | 340     | CDMA and (multi-rate or multi-bit)                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 10:52 |
| -        | 172     | CDMA and multi-rate                               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 10:52 |
| -        | 0       | CDMA adj transceiver with multi-rate              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 10:54 |
| -        | 0       | CDMA and transceiver with multi-rate              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 10:55 |
| -        | 0       | 375/219 with multi-rate                           | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 10:55 |
| -        | 81      | CDMA with multi-rate                              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 12:47 |
| -        | 800614  | CDMA with multi-rate and PN generator\$1          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 12:48 |
| -        | 1       | CDMA with multi-rate and PN adj1 generator\$1     | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 12:49 |
| -        | 3       | multi-rate and PN adj1 generator\$1               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 12:58 |
| -        | 0       | multi-rate and PN adj1 generators                 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 12:58 |
| -        | 0       | multi-rate adj transceiver and PN adj1 generators | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 12:58 |
| -        | 0       | multi-rate adj transceiver and generators         | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/28 12:59 |